

# MALIBU MOTORHOMES 23/24

## A-CLASS / LOW-PROFILE



**Price list**  
**23/24 EN**

VALID FROM 01.01.2024

**malibu**  
a company of carthago

# IMPORTANT LEGAL AND TECHNICAL INFORMATION FOR THE SELECTION AND CONFIGURATION OF YOUR MOTORHOME

Each motorhome is only approved for a certain maximum weight on the road, which must not be exceeded under any circumstances when driving. When you select and configure your motorhome or van (hereinafter referred to as: „the motorhome“), the technical and legal limits for the weight of the motorhome are therefore extremely important. These play a decisive part in the configuration, particularly when the additional equipment is being selected (equipment packages, special equipment and options).

The technical and legal requirements for the weight of your motorhome are regulated in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). This applies uniformly within the European Union. In order to make it easier for you to select and configure your motorhome in compliance with the legal and technical requirements, the key terms and requirements of this regulation are explained in the following, and you are provided with some information that is extremely important when you are configuring your vehicle and selecting your additional equipment (equipment packages, special equipment and options) from the items that are available from the factory. Please read this information carefully before configuring and ordering your vehicle. Our dealers will provide you with additional assistance in selecting and configuring your motorhome.

## 1. TECHNICALLY PERMISSIBLE GROSS WEIGHT

The technically permissible gross weight describes the layout-based maximum permissible weight specified by the manufacturer that your motorhome is allowed to weigh when loaded (e.g. 3,500 kg, 4,500 kg). This is entered in Part I of the registration certificate. You can find information about the technically permissible gross weight for each layout in the technical data which is shown in our sales documents (e.g. in the price lists).

Illustration in the price list:

<b>Malibu Low-Profile</b> Compact-   Comfort-Plus-Class		
	<b>T 430 LE</b>	<b>T 460 LE</b>
Base vehicle	Fiat Ducato	Fiat Ducato
Standard chassis	Low frame 35 light	Low frame 35 light
Base engine	Diesel 2.2 l	Diesel 2.2 l
Output (kW/HP)	103 / 140	103 / 140
Length / width / height (mm) <sup>16) 17) 18)</sup>	6900 / 2270 / 2940	7200 / 2270 / 2940
Wheel base (mm)	3800	4035
Double floor height / double floor basement (mm)	170 / 390	170 / 390
Headroom in living area (mm)	1980	1980
Rear garage interior height (mm)	1200	1200
Door width / height of rear garage at passenger side (mm)	950 x 1140	1050 x 1140
Door width / height of rear garage at driver side (mm)	950 x 1140	1050 x 1140
Tech. permissible gross weight (kg) <sup>23)</sup>	3500 / 4250 <sup>1)</sup>	3500 / 4250 <sup>1)</sup>
Weight in running order (kg) <sup>7)</sup>	2975 (2826-3124)	3035 (2883-3187)
Max. weight of additional equipment in series production specified by the manufacturer (kg) <sup>14)</sup>	157	78
Max. towed load (kg) <sup>27)</sup>	2000	2000
Maximum number of seats with 3-point seat belt while driving (standard/ optional*) <sup>22)</sup>	4	4

The technically permissible gross weight of the vehicle (e.g. 3,500 kg) must not be exceeded under any circumstances while driving. If the vehicle exceeds the technically permissible gross weight while driving, this constitutes an administrative offence which may be punishable with a fine. We therefore urgently advise you to check this before each journey and ensure that you and your vehicle do not exceed the technically permissible gross weight (e.g. 3,500 kg).

## 2. WEIGHT IN RUNNING ORDER

The weight in running order corresponds to the (unladen) weight of the vehicle with standard factory equipment (including lubricants, tools, tyre repair kit and a fuel tank that is 90% full) plus a statutory flatrate weight of 75 kg for the driver.

The weight in running order essentially includes the following items:

- the unladen weight of the vehicle including the body and filling with operating materials such as lubricating grease, oils and coolants;
- the standard equipment, i.e. all equipment items which are included as standard in the vehicle;
- a fresh water tank that is 100% full when driving (filling when driving in accordance with the manufacturer's specifications. You will find the manufacturer's information about filling in the vehicle in the sales documents (e.g. in the price lists). This is 20 l or 50 l depending on the model series) and an aluminium gas bottle that is 100% full, weighing 16 kg;
- a fuel tank that is 90% full;
- the driver, whose weight is set at a flatrate of 75 kg, regardless of the driver's actual weight.

The weight in running order is therefore the basic configuration of the vehicle model you have selected with standard equipment plus a statutory flatrate weight of 75 kg for the driver. This changes after selecting additional equipment (equipment packages, special equipment, options).

You will find information about the weight in running order for each layout in our sales documents (e.g. in the price lists).

It is important that the value given in our sales documents for the weight in running order is a standard value which is determined during the type approval procedure and checked by the authorities. It is legally permissible and possible for the weight in running order of the vehicle which is delivered to you to differ from the nominal value specified in the sales documents due to production-related tolerances. The legal tolerance is  $\pm 5\%$ .

The EU legislator has taken into account the fact that there are certain fluctuations in the weight in running order due to fluctuations in the weight of the supplied parts as well as process and weather-related factors. Please take this into consideration when you are selecting and configuring your motorhome.

Example calculation illustrating these (permissible) production-related weight deviations:

Weight in running order according to sales documents:	2,900 kg
Legal tolerance of $\pm 5\%$ :	145 kg
Legally permissible range of weight in running order:	2,755 to 3,045 kg

The specific range of permissible weight deviations for the weight in running order for each layout can be found in the technical data shown in our sales documents. As a manufacturer, we endeavour to restrict weight fluctuations to the minimum that is unavoidable in terms of production technology. Deviations above and below within the legally permissible tolerance range therefore only occur very rarely. However, in spite of constant technical optimization of the production process, these cannot be completely avoided.

In order to ensure that all of the vehicles which are actually delivered comply with the legally permissible tolerance, the actual weight of the vehicle and compliance with the permissible tolerance of  $\pm 5\%$  is checked by us as the manufacturer by weighing the vehicle upon completion in the production area at the end of the production line. Your dealer will inform you of the actual weight of your vehicle that was measured at the end of the production line. This gives you full transparency about any weight discrepancies that may be present in your vehicle.

### 3. NUMBER OF MAXIMUM PERMITTED SEATS / WEIGHT OF PASSENGERS

The maximum number of permitted seats while driving is determined by us as the manufacturer during the type approval procedure. The weight of the passengers results from the maximum number of permitted seats. The weight of the passengers is a flat rate of 75 kg for each approved seat which we as the manufacturer have provided for the vehicle, regardless of what the passengers actually weigh. This is also a legally prescribed calculation. Since the weight of the driver is already included in the weight in running order, i.e. 75 kg (see section 2.), this is not taken into consideration in the weight of the passengers. In a motorhome with four approved seats, the weight of the passengers is  $3 \times 75 \text{ kg} = 225 \text{ kg}$ .

The specification of the maximum number of permitted seats in the sales documents refers to the respective vehicle weight in the standard condition without additional equipment (see section 4 for additional equipment) and reflects the maximum possible number of people who can be seated whilst driving.

However, the number of seats depends on the weight and the axle load. It can therefore be reduced by installing additional equipment (e.g. by selecting equipment packages, special equipment and options) or, depending on the model, it can only be achieved by increasing the permissible gross weight and/or by omitting additional equipment.

### 4. ACTUAL WEIGHT AND ADDITIONAL EQUIPMENT

The weight in running order (see section 2.) and the weight of the factory-installed additional equipment (equipment packages, special equipment, options) in a specific vehicle are collectively referred to as the actual weight of the vehicle.

You can find information about the actual weight of your vehicle after it has been handed over in section 13.2 of the Certificate of Conformity (CoC), which will be given to you by your dealer when the handover takes place.

Please note that the actual weight specified in the Certificate of Conformity (CoC) is also a standardised value. Since there is a legally permissible tolerance of  $\pm 5\%$  for the weight in running order – as an element of the actual weight (see section 2.), the actual weight can deviate accordingly from the specified nominal value accordingly.

According to the legal definition, the so-called additional equipment includes all optional equipment parts that are not included in the standard equipment and is fitted to the vehicle by the manufacturer (i.e. ex works) and can be ordered by the customer (e.g. awning, bicycle or motorcycle rack, satellite system, solar system, oven etc.). Information about the individual or package weights of the equipment packages, special equipment and options which can be ordered can be found in our sales documents. Other accessories that are retrofitted after delivery of the vehicle from the factory by the dealer or by you personally are not included in the special equipment in this sense.


## 5. MANUFACTURER'S SPECIFIED MAXIMUM WEIGHT FOR ADDITIONAL EQUIPMENT AND PAYLOAD

Since the installation of additional equipment is also subject to legal and technical limits, we determine the value of the maximum weight for additional equipment for each layout and vehicle which can be fitted to the vehicle in addition to the standard equipment (e.g. by selecting equipment packages and/or special equipment). This value must not be exceeded when you are selecting and configuring your vehicle.

The specification of the weight of additional equipment defined by the manufacturer can be found in our sales documents (e.g. in the price lists).

Illustration in the price list:

### Malibu Low-Profile Compact- | Comfort-Plus-Class



	T 430 LE	T 460 LE
Base vehicle	Fiat Ducato	Fiat Ducato
Standard chassis	Low frame 35 light	Low frame 35 light
Base engine	Diesel 2.2 l	Diesel 2.2 l
Output (kW/HP)	103 / 140	103 / 140
Length / width / height (mm) <sup>16) 17) 18)</sup>	6900 / 2270 / 2940	7200 / 2270 / 2940
Wheel base (mm)	3800	4035
Double floor height / double floor basement (mm)	170 / 390	170 / 390
Headroom in living area (mm)	1980	1980
Rear garage interior height (mm)	1200	1200
Door width / height of rear garage at passenger side (mm)	950 x 1140	1050 x 1140
Door width / height of rear garage at driver side (mm)	950 x 1140	1050 x 1140
Tech. permissible gross weight (kg) <sup>23)</sup>	3500 / 4250 <sup>1</sup>	3500 / 4250 <sup>1</sup>
Weight in running order (kg) <sup>7)</sup>	2975 (2826-3124)	3035 (2883-3187)
Max. weight of additional equipment in series production specified by the manufacturer (kg) <sup>14)</sup>	157	78
Max. towed load (kg) <sup>27)</sup>	2000	2000
Maximum number of seats with 3-point seat belt while driving (standard/optional*) <sup>22)</sup>	4	4

The maximum weight for additional equipment specified by the manufacturer is intended to ensure that the legally prescribed so-called minimum payload is also actually available for additional loading after the vehicle has been delivered by the manufacturer. This means that only so much additional equipment can be ordered and installed at the factory that there is still sufficient free weight for luggage and other accessories (the so-called payload) without exceeding the technically permissible gross weight.

The payload is calculated by deducting the weight in running order (nominal value in accordance with the sales documents, see section 2.), the weight of the passengers (see section 3.) and the manufacturer-defined maximum weight for additional equipment from the technically permissible gross weight (see section 1.).

For motorhomes, the European legislation prescribes a fixed minimum payload, which must remain for luggage or other accessories which are not installed in the factory. This minimum payload is calculated as follows:

Minimum payload in kg  $\geq 10 * (n + L)$

Whereby the following applies: „n“ = maximum number of passengers plus the driver and „L“ = total length of vehicle in metres (including decimal places).

For a motorhome with a length of 7 m and 4 approved seats (including the driver), the minimum payload is  $10 \text{ kg} * (4 + 7) = 110 \text{ kg}$ , for example.

When you are configuring your motorhome, please note that the payload must not fall below the minimum.

To ensure that the minimum payload is adhered to, there is a maximum combination of additional equipment which can be ordered for each vehicle model. In the above-mentioned example with a minimum payload of 110 kg, the gross weight of the additional equipment for a vehicle with four approved seats (including the driver) and a weight in running order of 2900 kg should be a maximum of 265 kg:

3,500 kg	Technically permissible gross weight
- 2,900 kg	Weight in running order
- 3 x 75 kg	Weight of passengers
- 110 kg	Minimum payload
= 265 kg	Additional equipment

Please note that this calculation is based on the standard value for the weight in running order that is specified during the type approval procedure, without taking into the permissible weight deviations for the weight in running order (see section 2.). If the maximum permitted value for the additional equipment of 265 kg (as per the example) has almost or completely been used up, an upwards deviation in the weight in running order may mean that the minimum payload of 110 kg is mathematically maintained using the standard value of the weight in running order, but in actual fact there is no appropriate possibility of having a payload.

Here is also an example calculation for a vehicle with four approved seats whose actual weight in running order is 1% above the nominal value:

3,500 kg	Technically permissible gross weight
- 2,929 kg	Actual weight in running order of the vehicle (+ 1% on comparison to compared to the 2,900 kg specified in the sales documents)
- 3 x 75 kg	Weight of passengers
-265 kg	Weight of additional equipment
= 81 kg	Actual payload (< minimum payload of 110 kg); in this example, the minimum payload is therefore undershot by 29 kg

In order to avoid such a reduction of the minimum payload, the weight of the additional equipment which can be ordered is reduced by the manufacturer on the basis of the layout. Limiting the amount of additional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free weight for luggage and other accessories, is also actually available for the payload in the vehicles which are delivered by the manufacturer.

Since the actual weight of the specific vehicle is only determined when it is weighed at the end of the production line, it cannot be completely ruled out that in rare exceptional cases situations can arise whereby the minimum payload at the end of the production line is not guaranteed, despite this limitation of the additional equipment. In order to ensure the minimum payload in these cases as well, before delivery of the vehicle, the manufacturer will check with you and your dealer whether, for example, the vehicle weight is increased, the permissible number of seats will be reduced or additional equipment will be removed to reduce the weight so that you receive a vehicle which provides you with the legal minimum payload. The weights for additional equipment installed in the factory can be found in our sales documents (e.g. in the price lists).

Illustration in the price list:

Article no.		€ incl. 19 % VAT	kg
<b>Fiat Ducato chassis</b>			
310021	140 HP / 103 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>26) 37)</sup>	3,990	55
310024	180 HP / 132 kW engine, Euro 6d Final, f35 light, manual gearbox <sup>37)</sup>	4,510	20
310025	180 HP / 132 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>28) 37)</sup>	8,500	55
310026	180 HP / 132 kW engine, Euro 6d Final, f40 heavy (total permissible weight 4,250 kg), manual gearbox <sup>38) 37)</sup>	6,660	60
310027	180 HP / 132 kW engine, Euro 6d Final, f40 heavy (total permissible weight 4,250 kg), 9G automatic torque converter transmission <sup>38) 37)</sup>	10,650	55
330325	Fiat 16-inch steel wheels instead of 15-inch for f35 light chassis	360	29
330330	Fiat 16-inch alloy wheels for f35 light chassis in conjunction with manual gearbox	1,090	22,5
330340	Fiat 16-inch alloy rims for f40 heavy chassis / f35 in conjunction with 9G automatic torque converter transmission	890	-8
310630	Leather steering wheel and gear lever	310	-
310632	Multi-functional steering wheel (radio remote control via control buttons) <sup>39)</sup>	310	-
310500	Drivers cabin automatic air conditioning <sup>1)</sup>	540	-
331615	Fiat full LED front headlights <sup>40)</sup>	1,350	-
310675	LED daytime driving lights instead of standard daytime driving lights <sup>40)</sup>	440	-
331614	Fog lights with cornering lights	250	2
311300	Crank-operated rear supports to prevent swaying in standing position	440	10
311410	Tow bar <sup>46)</sup>	2,290	60

The additional weight of additional equipment (all equipment items not included in the standard scope) increases the actual weight of the vehicle (= weight in running order plus the selected additional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The gross weight of the selected additional equipment (equipment packages, special equipment and options) must not exceed the maximum weight for additional equipment specified by the manufacturer.

## 6. THE EFFECTS OF WEIGHT IN RUNNING ORDER TOLERANCES ON THE PAYLOAD

Regardless of the minimum payload, you should also note that unavoidable production-related fluctuations in the weight in running order have an effect on the remaining payload:

If you order our example vehicle (see section 5.) with additional equipment with a gross weight of 150 kg, the calculated payload is 225 kg based on the default value for the weight in running order. Due to the tolerances, the payload that is actually available may deviate from this value and may be higher or lower. If the weight in running order of your vehicle is about 1% higher than the weight specified in the sales documents, the possible payload is reduced from 225 kg to 196 kg:

3,500 kg	Technically permissible gross weight
- 2,929 kg	Actual weight in running order of the vehicle (+ 1% on comparison to compared to the 2,900 kg specified in the sales documents)
- 3 x 75 kg	Weight of passengers
- 150 kg	Additional equipment ordered for the specifically configured vehicle
= 196 kg	Actual payload

In order to be sure that the calculated payload is actually available, you should take the possible and permissible tolerances for the weight in running order into consideration when you are selecting and configuring your vehicle. We also strongly recommend weighing the loaded motor-home on a weighbridge before every journey and, taking the individual weight of the passengers into consideration, determine whether the technically permissible gross weight and the technically permissible gross weight on the axles are complied with.

You can find more information online!



## ADDED VALUE AS STANDARD



### LARGEST STORAGE COMPARTMENT IN ITS CLASS

- Double floor with huge, heated storage compartment, usable height up to 48 cm, external access via several large hatches (depending on model)
- Central through-loading space (interior height 17 cm) with extra-low storage compartment (usable height 39 cm)
- Underfloor heating effect: Heat storage in the insulated double-floor



### TOP CLASS BODYWORK

- High-stability chassis connection using form-fitted and bonded frame members (roof-wall / floor-wall)
- Protection from hailstones, stone chippings and moisture due to GRP on roof and underside of floor
- Exclusive side wall / roof rounding
- 10-year water ingress guarantee as standard
- Easy to repair in the event of damage due to 4-part rear panel frame and segmented side skirts



### BEST DRIVERS CABIN VISIBILITY CONCEPT (I)

- Active driving, extra-low dashboard sloping towards the front, low panoramic front windscreens for excellent visibility of the road
- Top test result for view of road surface after just 2.77 m



### HIGH-QUALITY FURNITURE DESIGN

- Double-connection technology: Furniture is screwed together and mortised
- High quality and robust metal hinges

Low-Profile	A-Class
-------------	---------

### Base vehicle

#### Fiat Ducato flat frame

Engine: 2.2 l diesel Multijet 3 with Adblue (19 l), 140 HP / 103 kW, 4 cylinders, 350 Nm, Euro 6d Final, 6-speed gearbox, front-wheel drive

	X	X
90 l fuel tank	X	X
LED daytime driving lights	-	X
Daytime driving lights integrated into the headlight	X	-
Mudflaps on front axle	-	X
Side wind assistant, cruise control, ABS, ESP, ASR, electric immobiliser, Hillholder, Hill Descent Control	X	X
Traction Plus, trailer stability control, collision braking system <sup>50)</sup>	X	X
Driver / passenger airbag <sup>19)</sup>	X	X
Start / Stop system	X	X
Manual air conditioning system	X	X
Central glove compartment	-	X
Central cup holder	X	-
Fix & Go repair kit	X	X

 Malibu main body construction	X	X
10-year water ingress guarantee	X	X
Wood-free bodywork with GRP roof and floor covering	X	X
Roof/wall connection via curved roof and frame member	X	X
Roof system rails at side with rainwater deflection function	X	X
Side walls and rear wall with aluminium exterior	X	X
RTM hard foam insulating core in roof, floor and side wall	X	X
Floor connected to side wall via aluminium frame members glued over their entire surface	X	X

	Low-Profile	A-Class
<b>Malibu main body construction</b>		
Total wall and roof thickness, 33 mm	X	X
Exterior hatches made from original side wall material "Malibu Isoplus"	X	X
Internal/external flap seal, outer seal gives water spray protection	X	X
Fuel tank flap flush-mounted into side wall	-	X
Segmented side skirts made from aluminium profile	X	X
4-part rear panel frame with separate rear bumper	X	X
Seitz S4 habitation window, double framed with insulated glazing and no thermal bridge, insect screen roller blind and pleated blackout blind	X	X
Habitation door with door limiter and door window	X	X
LED exterior light above habitation door with rain deflector	X	X
Electrically extending habitation door entrance step with warning buzzer	X	X
<b>Drivers cabin concept (Malibu A-Class)</b>		
Dashboard sloping steeply towards the front (view of road surface after 2.77 m)	-	X
Front cab in GRP, with double-shell insulation	-	X
Passenger cabin door with security double locking, electric windows, rain gutter	-	X
Soundproofing measures for engine compartment	-	X
Driver and passenger Aguti comfort seats with seat belt integration in same material as living area, padded armrests	-	X
Dashboard with practical sideboard and preparation for integrated reversing camera monitor and drinks bottle holder	-	X
<b>Drivers cabin concept (Malibu Low-Profile)</b>		
Electrically adjustable and heated rear view wing mirrors	X	-
T-overcab pod in GRP	X	-
Driver and passenger comfort seats in same material as living area, swivelling, with padded armrests	X	-
Large, all-round overhead storage cabinets with front locker above drivers cabin	X	-
<b>Double floor</b>		
Usable height up to 48 cm	X	X
Through-loading storage compartment with lighting and heating	X	X
Outside access via several large hatches	X	X
Interior access via the L-shaped seating area and the swing-up (I 490 LE, I 500 QB) or lift-up side seat bench	X	X
Large living area floor hatch in entrance and kitchen area	X	X
Central through-loading storage compartment (interior height 17 cm) with extra-low double floor storage compartment (usable height 39 cm)	X	X
<b>Heated scooter garage</b>		
Scooter garage load capacity up to 250 kg	X	X
Large garage door at drivers side, additional door at passengers side	X	X
Garage floor with GRP covering on top and underneath, anti-slip coating	X	X
With all-round frostproof insulation and heating	X	X
Lashing system via aluminium frame member, including eight lashing eyes	X	X
<b>Interior design</b>		
Bellagio world of style: Noble Cherry furniture decor with overhead cabinet doors with bicolor look in high-gloss ivory	X	X
<b>Living area</b>		
L-shaped lounge seating area with side seat bench	X	X
L-shaped lounge seating area with two 3-point seat belts in direction of travel including headrests	X	X
Seat upholstery with multilayer premium foam core and back support function	X	X
360° living room table, rotatable using a foot pedal and movable in two directions	X	X
Wall cladding behind side seat	X	X

	Low-Profile	A-Class
 <b>Living area</b>		
Curtain system including removable decorative curtain	X	X
Swivel-out shoe cabinet with holding system in the plinth of the seat bench, including LED mood lighting	X	X
Double-connection technology: furniture section screwed together and mortised	X	X
Hatch closers with soft closing mechanism	X	X
 <b>Kitchen</b>		
Kitchen work surface as visual room partition and additional worktop (not 430 LE)	X	X
Kitchen worktop with scratch-proof slate decor, illuminated from underneath with LED mood lighting	X	X
3-ring hob "Master Gourmet" with divided glass cover, removable bar trivet and glass shelf (not 430 LE)	X	X
3-ring hob "Master Gourmet" with one-piece glass cover, removable cast iron trivet and glass shelf (430 LE)	X	X
Slimtower fridge with door opening at both sides and separate freezer compartment (not 490 LE, 500 QB)	X	X
Large fridge with door opening at both sides and separate freezer compartment (490 LE, 500 QB)	X	X
Slimtower / large fridge with automatic energy source locating 12 V / 230 V / gas operation	X	X
Kitchen units with deep drawers and wooden cutlery insert	X	X
Separate waste bins in separate hygiene area	X	X
"Easy glide" drawers on rollers with soft-closing mechanism	X	X
Kitchen wall in cream decorative glass	X	X
Stainless steel round sink recessed into worktop	X	X
Multifunctional sink cover including wall holder for worktop extension	X	X
Metal high quality mixer tap located at practical height	X	X
 <b>Washroom   changing room</b>		
<b>Changing room &amp; room partitioning</b>		
Changing room with lockable washroom or luxury washroom door to living area	X	X
Solid wood sliding door in front of sleeping area (490 LE)	X	X
Pull-out TV wall and room divider in front of sleeping area (500 QB)	X	X
Floor-to-ceiling wardrobe with two clothes rails and shelf (460 LE)	X	X
<b>Combined washroom with separable round shower (430 LE, 460 LE)</b>		
Hand towel rail above round shower	X	X
Shower head height-adjustable on chrome rail	X	X
Mini-Heki skylight	X	X
Wash stand base unit with toilet roll holder, mirrored storage cabinet	X	X
<b>Luxury washroom (490 LE, 500 QB)</b>		
"One level" shower access	X	X
Hand towel rail above round shower	X	X
Waterproof shower insert in same design as living area floor (490 LE)	X	X
Shower insert in same design as living area floor, removable for showering (500 QB)	X	X
Shower head height-adjustable on chrome rail	X	X
Mini-Heki skylight in washroom	X	X
Roof dome in shower room	X	X
Wash stand base unit with toilet roll holder, mirrored storage cabinet	X	X

Low-Profile	A-Class
-------------	---------

## Sleeping

### Drop-down bed above drivers cabin area (Malibu A-Class)

Slatted frame and high quality mattress	-	X
Extra-low positioning of the bed: Access via side seat	-	X
Wobble-free support in sleeping configuration, bookshelf and LED spotlights	-	X
Dividing curtain between drop-down bed and living area	-	X

### Fixed beds in rear area

7-zone quality cold foam mattress	X	X
Two-part heated and ventilated slatted frame	X	X
Mini-Heki skylight	X	X
Raisable head section	X	X

### Lengthways single beds

Pull-out access steps including sleeping area extension	X	X
All-round overhead storage cabinets	X	X
Wardrobes beneath beds in double floor (depending on model) with lift function and divided mattress	X	X

## On-board equipment

### Water

Fresh water and waste water tank in heated double floor, cleaning opening in scooter garage or via living area floor hatch	X	X
Central water drain in central double floor	X	X
Low-maintenance water pressure pump system	X	X

### Gas

External, low-positioned gas bottle compartment (not 430 LE)	X	X
Gas bottle compartment in rear area with separate accessible gas bottle door (430 LE)	X	X
Holds 2 x 11 kg gas bottles	X	X
Gas isolation taps in kitchen area	X	X

### Electrical system

18 A automatic charger, electronic control, automatic switch-off when voltage too low, including starter battery charging function	X	X
1 x 80 Ah gel battery under the passengers cabin seat	X	X
Dashboard control panel behind technical panel above main entrance door	X	X
230 V sockets in kitchen, washroom and entrance area	X	X
12 V socket in drivers cabin	X	X
Double USB socket in drivers cabin	X	X

### Living area lighting system

Numerous LED spotlights above L-shaped lounge seating area, integrated in the ceiling canopy, rear bed area	X	X
Light control via main switch in entrance area	X	X
Main light and ambient lighting can be switched separately	X	X

## Heating technology

Warm air outlets in living area, double floor, scooter garage and habitation door entrance	X	X
Dashboard with targeted heating with widespread heating effect	-	X
Warm air outlets in drivers cabin, dashboard front, door entrance	-	X
Underfloor heating effect due to heated double floor	X	X



Also available as  
Touring model!




You are advised to consult your dealer  
about the price that applies at the  
point in time when sale is agreed!  
More information can be found on page 18.



Please carefully read the legal notes  
concerning weight-related information  
on pages 2-5 before concluding the  
contract!



Alternatively, you can scan the QR code,  
and you will also receive all of the  
important information on the subject  
of weight!



	T 430 LE	T 460 LE	T 490 LE	T 500 QB
Base vehicle	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard chassis	Low frame 35 light	Low frame 35 light	Low frame 35 light	Low frame 35 light
Base engine	Diesel 2.2 l	Diesel 2.2 l	Diesel 2.2 l	Diesel 2.2 l
Output (kW/HP)	103 / 140	103 / 140	103 / 140	103 / 140
Length / width / height (mm) <sup>16) 17) 18)</sup>	6900 / 2270 / 2940	7200 / 2270 / 2940	7450 / 2270 / 2940	7430 / 2270 / 2940
Wheel base (mm)	3800	4035	4035	4035
Double floor height / double floor basement (mm)	170 / 390	170 / 390	170 / 390	170 / 390
Headroom in living area (mm)	1980	1980	1980	1980
Rear garage interior height (mm)	1200	1200	1200	1120 / 1240**
Door width / height of rear garage at passenger side (mm)	950 x 1140	1050 x 1140	1050 x 1140	1050 x 1100
Door width / height of rear garage at driver side (mm)	950 x 1140	1050 x 1140	1050 x 1140	1050 x 1140
Tech. permissible gross vehicle weight (kg) <sup>23)</sup>	3500 / 4250 <sup>1</sup>			
Weight in running order (kg) <sup>7)</sup>	2975 (2826-3124)	3035 (2883-3187)	3105 (2950-3260)	3095 (2940-3250)
Max. weight of additional equipment in series production specified by the manufacturer (kg) <sup>14)</sup>	157	78	105	116
Max. towed load (kg) <sup>27)</sup>	2000	2000	2000	2000
Max. numbers of seats with 3-point safety belt as standard while driving (standard / optional) <sup>22)</sup>	4	4	3 / 4*	3 / 4*
Sleeping berths (standard / optional)	2 / 3	2 / 4	2 / 4	2 / 4
Rear bed dimensions (mm)	2000 / 1900 x 850	2000 / 1900 x 850	2040 / 1950 x 850	1950 x 1450
Central drop-down bed dimensions (mm)*	-	2030 / 1775 x 1000	1890 / 1700 x 1100	1890 / 1700 x 1100
Seating area bed conversion dimensions (mm)	2030 x 1105 / 650	2030 x 1105 / 650	1920 x 1125 / 650	1920 x 1125 / 650
Fridge volume / of which freezer compartment (l)	133 / 12	133 / 12	153 / 29	153 / 29
Heating system	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Fresh water volume (l) <sup>21)</sup>	125	125	125	125
Fresh water tank volume with filling in running order (l)	20	20	20	20
Waste water volume (l)	90	90	90	90
230 V / 12 V / USB sockets	3 / 1 / 1	3 / 1 / 1	3 / 1 / 1	3 / 1 / 1
Battery capacity (Ah)	80	80	80	80
Article no.	170140	170120	170160	170170



Also available as  
Touring model!




You are advised to consult your dealer  
about the price that applies at the  
point in time when sale is agreed!  
More information can be found on page 18.



Please carefully read the legal notes  
concerning weight-related information  
on pages 2-5 before concluding the  
contract!



Alternatively, you can scan the QR code,  
and you will also receive all of the  
important information on the subject  
of weight!



	I 430 LE	I 460 LE	I 490 LE	I 500 QB
Base vehicle	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard chassis	Low frame 35 light	Low frame 35 light	Low frame 35 light	Low frame 35 light
Base engine	Diesel 2.2 l	Diesel 2.2 l	Diesel 2.2 l	Diesel 2.2 l
Output (kW/HP)	103 / 140	103 / 140	103 / 140	103 / 140
Length / width / height (mm) <sup>16) 17) 18)</sup>	6960 / 2270 / 2940	7250 / 2270 / 2940	7500 / 2270 / 2940	7480 / 2270 / 2940
Wheel base (mm)	3800	4035	4035	4035
Double floor height / double floor base- ment (mm)	170 / 390	170 / 390	170 / 390	170 / 390
Headroom in living area (mm)	1980	1980	1980	1980
Rear garage interior height (mm)	1200	1200	1200	1120 / 1240**
Door width / height of rear garage at passenger side (mm)	950 x 1140	1050 x 1140	1050 x 1140	1050 x 1100
Door width / height of rear garage at driver side (mm)	950 x 1140	1050 x 1140	1050 x 1140	1050 x 1140
Tech. permissible gross vehicle weight (kg) <sup>23)</sup>	3500 / 4250 <sup>1</sup>			
Weight in running order (kg) <sup>7)</sup>	3075 (2921-3229)	3165 (3007-3323)	3245 (3083-3407)	3235 (3073-3397)
Max. weight of additional equipment in series production specified by the manu- facturer (kg) <sup>14)</sup>	56	47	48	58
Max. towed load (kg) <sup>27)</sup>	2000	2000	2000	2000
Max. numbers of seats with 3-point safety belt as standard while driving (standard / optional) <sup>22)</sup>	4	3 / 4-5*	2 / 3-5*	2 / 3-5*
Sleeping berths (standard / optional)	4 / 5	4 / 5	4 / 5	4 / 5
Rear bed dimensions (mm)	2000 / 1900 x 850	2000 / 1900 x 850	2040 / 1950 x 850	1950 x 1450
Drop-down bed dimensions (mm)	1950 x 1600	1950 x 1600	1950 x 1600	1950 x 1600
Seating group bed conversion dimensions (mm)	2030 x 1105 / 650	2030 x 1105 / 650	1920 x 1125 / 650	1920 x 1125 / 650
Fridge volume / of which freezer com- partment (l)	133 / 12	133 / 12	153 / 29	153 / 29
Heating system	Truma Combi 6	Truma Combi 6	Truma Combi 6	Truma Combi 6
Fresh water volume (l) <sup>21)</sup>	125	125	125	125
Fresh water tank volume with filling in running order (l)	20	20	20	20
Waste water volume (l)	90	90	90	90
230 V / 12 V / USB sockets	3 / 1 / 1	3 / 1 / 1	3 / 1 / 1	3 / 1 / 1
Battery capacity (Ah)	80	80	80	80
Article no.	170240	170220	170260	170270

<sup>1</sup> Optional Fiat Ducato f40 heavy chassis variant

\* in conjunction with special equipment \*\* Pedelec scooter garage option

<sup>17)</sup> The total vehicle width corresponds to the measurement from  
exterior wall to exterior wall (side wheel arches approx.: + 70 mm).

# Malibu Touring\*:

The all-round, ready to travel model

Equipment packages

Malibu Touring (A-Class: including Malibu Connect Truma iNet X Pro Panel**)	kg	Low-Profile	I 430 LE- I 460 LE	I 490 LE - I 500 QB
Article number	114/ 116,5/ 124,5	216149	216139	216159
<b>Chassis</b>				
Malibu wheel trims		✓	✓	✓
Radiator grille in high gloss black		✓	✓	✓
"Malibu best view" bus mirror system in bicolor black/white, electrically adjustable and heatable		-	✓	✓
Drivers cabin door central locking, electrically adjustable and heated outside rear view wing mirrors, power windows		✓	-	-
Higher output alternator <sup>25)</sup>		✓	✓	✓
Drivers cabin comfort seats with tilt and height adjustment (front / rear)		✓	✓	✓
Dashboard finish: Ventilation grille in chrome		✓	✓	✓
Wiring for radio with roof antenna with DAB+, loudspeaker (4x), DVB-T2 reception <sup>38)</sup>		✓	✓	✓
Pioneer 6.8" radio / moniceiver incl. DAB+ <sup>12)</sup>		✓	✓	✓
<b>Habitation</b>				
Malibu Low-Profile roof mounted awning (4.0 m: 430 LE, 460 LE; 4.5 m: 490 LE, 500 QB)		✓	-	-
Malibu A-Class roof mounted awning (4.5 m: 430 LE; 5.0 m: 460 LE, 490 LE, 500 QB)		-	✓	✓
Malibu rear lights with LED light strip		✓	✓	✓
Large garage door at passengers side		✓	✓	✓
XL habitation door "premium two 2.0" (width 63 cm) with double locking, window and integrated insect screen		✓	✓	✓
Driver's cab blinds for side windows and windscreen <sup>9)</sup>		✓	-	-
Honeycomb insulating pleated front blind with vertical operation and folding pleated blind at side windows		-	✓	✓
Midi-Heki skylight above L-shaped lounge seating area		✓	✓	✓
Indirect ambient lighting in living area and kitchen with LED technology		✓	✓	✓
Malibu Connect Truma iNet X Pro* including colour display with "Touch" function, Bluetooth and app control		-	✓	✓
Truma CP Plus digital control panel		✓	-	-
Truma DuoControl CS <sup>33)</sup>		✓	✓	✓
SOG toilet ventilation via roof chimney		✓	✓	✓
Waste water hose set for comfortable disposal		✓	✓	✓
USB socket in overhead storage cabinet above rear bed		✓	✓	✓
Wiring for reversing camera		✓	✓	✓
Reversing camera system with single lens, incl. 7" colour monitor in Malibu A-Class		✓	✓	✓
Wiring for TV		✓	✓	✓
TV pull-out in side seat bench, TV cabinet in lounge seating area (430 LE), wall bracket in entrance area (460 LE) <sup>13)</sup>		✓	✓	✓
Smart LED TV 24" <sup>5)</sup>		✓	✓	-
Smart LED TV 32" <sup>5)</sup>		-	-	✓
Wiring for solar system		✓	✓	✓
Wiring for satellite system		✓	✓	✓
Touring model total value of individual options		11,185	11,905	12,365
<b>Package price</b>		<b>8,870</b>	<b>9,430</b>	<b>9,850</b>
<b>Your savings</b>		<b>2,315</b>	<b>2,475</b>	<b>2,515</b>
210326 <b>SURCHARGE</b> Pioneer 9" media centre incl. navigation, motorhome route guidance, DAB+ <sup>2)</sup>	-	810	810	810
210261 <b>SURCHARGE</b> for 430 LE: Design TV cabinet incl. 32" Smart LED TV instead of 24" <sup>5)</sup> <sup>20)</sup>	5	750	750	-
210211 <b>SURCHARGE</b> for Teleco Flatsat Classic 85 satellite system with CI Slot <sup>11)</sup>	28	2,630	2,630	2,630
210212 <b>SURCHARGE</b> for Teleco Flatsat Easy Skew Smart 90 and twin LNB for second TV <sup>11)</sup>	30	2,790	2,790	2,790

\* Please note that if the Touring model is selected, the minimum payload with the technically permissible gross weight of 3,500 kg is not guaranteed in certain cases. See page 2-5 for more information.

\*\* Malibu Connect Truma iNet X Pro\*\* incl. colour display with "Touch" function, Bluetooth and app control includes digital networking of all built-in devices and habitation components. Information can be retrieved or controlled either centrally via the panel or via the Truma iNet X Pro app with Bluetooth connection.

Detailed information can be found on the web site at [www.malibu-motorhomes.com](http://www.malibu-motorhomes.com), or your dealer would be pleased to advise you.

Article no.		216110	216120
Chassis package	Weight	Low-Profile	A-Class
	kg	£	£
Malibu wheel trims		80	80
Radiator grille in high gloss black		170	170
“Malibu best view” bus mirror system in bicolor black/white, electrically adjustable and heatable		-	370
Drivers cabin door central locking, electrically adjustable and heated outside rear view wing mirrors, power windows		290	-
Higher output alternator <sup>25)</sup>		190	190
Drivers cabin comfort seats with tilt and height adjustment (front / rear)		520	520
Dashboard finish: ventilation grille in chrome		220	220
Wiring for radio with roof antenna with DAB+, loudspeaker (4x), DVB-T2 reception <sup>38)</sup>		400	400
Pioneer 6.8" radio / moniceiver incl. DAB+ <sup>12)</sup>		580	580
Total price of individual options		2,450	2,530
<b>Package price</b>	<b>19/21</b>	<b>2,020</b>	<b>2,060</b>
<b>Your savings</b>		<b>430</b>	<b>470</b>
210326 <b>SURCHARGE</b> Pioneer 9" media centre incl. navigation, motorhome route guidance, DAB+ <sup>2)</sup>		810	810

Article no.		213112	213122
Comfort Package	Weight	Low-Profile	A-Class
	kg	£	£
Malibu rear lights with LED light strip		210	210
Large garage door at drivers side		520	520
XL habitation door “premium two 2.0” (width 63 cm) with double locking, window and integrated insect screen		470	470
Drivers cabin blackout system: Pleated blind on side windows and windscreens <sup>9)</sup>		660	-
Honeycomb insulating pleated front blind with vertical operation and folding pleated blind on side windows		-	920
Midi-Heki skylight above L-shaped lounge seating area		620	620
Indirect ambient lighting in living area and kitchen with LED technology		310	310
Truma CP Plus digital control panel		90	90
SOG toilet ventilation via roof chimney		330	330
Waste water hose set for comfortable disposal		110	110
USB socket in overhead storage cabinet above rear bed		100	100
Wiring for reversing camera		220	220
Wiring for solar system		220	220
Wiring for satellite system		220	220
Wiring for TV		220	220
Total price of individual options		4,300	4,560
<b>Package price</b>	<b>26/25,5</b>	<b>3,390</b>	<b>3,520</b>
<b>Your savings</b>		<b>910</b>	<b>1,040</b>

Article no.		216500
3.5 t weight reduction package (only in conjunction with f35) <sup>51)</sup>	Weight	
	kg	£
60 l fuel tank (instead of standard 90 l fuel tank)		✓
90 Ah lithium-ion battery incl. battery computer instead of 80 Ah gel battery		✓
Omission of SOG toilet ventilation via roof chimney		✓
Omission of waste water hose set for comfortable disposal		✓
Omission of wiring for solar system		✓
<b>Package price</b>	<b>-39,5</b>	<b>1,320</b>

### Article no.

216011

Fiat infotainment package*	Weight	
	kg	£
Electric handbrake		✓
Digital instrument cluster with colour display in dashboard <sup>48)</sup>		✓
Leather steering wheel and gear lever, including multi-function buttons		✓
Fiat 10.1" multi-media system incl. navigation, motorhome route guidance and DAB+ <sup>47)</sup>		✓
Drivers cabin automatic air conditioning <sup>1)</sup>		✓
<b>Package price</b>	<b>-7</b>	<b>3,450</b>

\* The Fiat 10.1" multimedia system replaces the Pioneer 6.8" radio / moniceiver and is taken into consideration in the price.

Fiat infotainment package not possible in conjunction with the Pioneer 9" media centre

### Article no.

216311

Fiat low-profile driver's assistance package (camera and radar-based) <sup>9)</sup>	Weight	
	kg	£
Active braking assistant with pedestrian and cyclist detection		✓
Active lane departure warning assistant		✓
Rain and Light Sensor		✓
Traffic sign recognition		✓
Headlight Assistant		✓
Active cruise control		✓
Intelligent speed assistant		✓
Alertness assistant		✓
Tyre pressure sensors		✓
<b>Package price</b>	<b>1,5</b>	<b>1,880</b>

### Article no.

T: 213143

213153

I: 213133

Media package	Weight		<sup>24"</sup> (not I 490 LE, I 500 QB)	<sup>32"</sup> (only I 490 LE, I 500 QB)
	kg	£	£	£
Reversing camera system with single lens (A-Class: with 7" colour monitor at side of dashboard) <sup>24)</sup>			1,020	1,020
TV pull-out in side seat bench or TV cabinet in lounge seating area (430 LE), wall bracket in entrance area (460 LE) <sup>13)</sup>			-	-
Smart LED TV 24" <sup>5)</sup>			1,300	-
Smart LED TV 32" <sup>5)</sup>			-	1,760
Total price of individual options			2,320	2,780
<b>Package price</b>	<b>19</b>	<b>1,980</b>	<b>2,410</b>	
<b>Your savings</b>			<b>340</b>	<b>370</b>
210261 <b>SURCHARGE</b> 430 LE: Design TV cabinet incl. 32" Smart LED TV instead of 24" <sup>5) 20)</sup>	5		750	-
210211 <b>SURCHARGE</b> Teleco Flatsat Classic 85 satellite system with CI slot <sup>11)</sup>	28		2,630	2,630
210212 <b>SURCHARGE</b> Teleco Flatsat Easy Skew Smart 90 / twin LNB for second TV <sup>11)</sup>	30		2,790	2,790

Article no.		£ incl. 20 % VAT	kg	T 430 LE	T 460 LE	T 490 LE	T 500 QB
<b>Fiat Ducato chassis</b>							
310029	140 HP / 103 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>26) 32)</sup>	3,530	55	○	○	○	○
310032	180 HP / 132 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>26) 32)</sup>	7,520	55	○	○	○	○
310033	180 HP / 132 kW engine, Euro 6d Final, f40 heavy (total permissible weight 4,250 kg), 9G automatic torque converter transmission <sup>36) 7)</sup>	9,430	55	○	○	○	○
330325	Fiat 16-inch steel wheels instead of 15-inch for f35 light chassis	320	29	○	○	○	○
330330	Fiat 16-inch alloy wheels for f35 light chassis in conjunction with manual gearbox	970	22,5	○	○	○	○
330340	Fiat 16-inch alloy rims for f40 heavy chassis / f35 in conjunction with 9G automatic torque converter transmission	790	-8	○	○	○	○
310610	Fuel tank 60 l instead of 90 l (only in conjunction with f35 light)	60	-24	○	-	-	-
310630	Leather steering wheel and gear lever	280	-	●	●	●	●
310632	Multi-functional steering wheel (radio remote control via control buttons) <sup>39)</sup>	280	-	●	●	●	●
310500	Drivers cabin automatic air conditioning <sup>1)</sup>	480	-	●	●	●	●
331615	Fiat full LED front headlights <sup>49)</sup>	1,200	-	○	○	○	○
310675	LED daytime driving lights instead of standard daytime driving lights <sup>49)</sup>	390	-	○	○	○	○
331614	Fog lights with cornering lights	230	2	○	○	○	○
311300	Crank-operated rear supports to prevent swaying in standing position	390	10	○	○	○	○
311410	Tow bar <sup>46)</sup>	2,030	60	○	○	○	○
<b>Habitation exterior</b>							
410760T	“Skyview” skylight with designer headliner above drivers cabin <sup>35)</sup>	1,230	15	○	○	○	○
410122	Central locking for XL habitation door “premium two 2.0”	310	-	○	○	○	○
410521	Aluminium roof mounted awning frame, grey canvas, length: 4.0 m	1,550	39	○	○	-	-
410561	Aluminium roof mounted awning frame, grey canvas, length: 4.5 m	1,660	42	-	-	○	○
410780	Mini-Heki skylight above kitchen area <sup>10)</sup>	310	1	○	○	○	○
410850	Electric extractor hood above kitchen area <sup>10)</sup>	460	5	○	○	○	○
410113	Patented Pedelec scooter garage, loading height of up to 124 cm <sup>15) 46)</sup>	450	15	-	-	-	○
410925	Push-in and transport system for 2 Pedelecs / E-bikes <sup>34)</sup>	650	28,5	-	-	-	○
<b>Electrical system</b>							
510255	Socket package with additional sockets (3 x 230 V, 2 x USB) <sup>30)</sup>	440	3	○	○	○	○
510020	Additional 80 Ah habitation battery in existing battery centre	480	26	○	○	○	○
510053	Lithium-ion battery 150 Ah incl. battery computer and separate touch display <sup>4)</sup>	2,140	-9	○	○	○	○
<b>Heating</b>							
650040	Truma Combi 6E (additional electric heating element 2 x 900 Watts / 230 V) <sup>3)</sup>	660	1	○	○	○	○
650230	Alde warm water heater, 230 V / gas operation with booster in drivers cabin <sup>3) 29)</sup>	3,010	45	-	○	○	○
650240	Alde heat exchanger (use of engine heat) <sup>31)</sup>	1,050	13	-	○	○	○
<b>Gas   Water   Miscellaneous</b>							
610045	Comfort gas bottle pull-out system (only in conjunction with Truma DuoControl CS)	580	6	○	-	-	-
610020	Truma DuoControl CS <sup>33)</sup>	390	3	○	○	○	○
610021	Gas filter for Truma DuoControl CS (recommended, only in conjunction with Truma DuoControl CS) <sup>43)</sup>	200	0,5	○	○	○	○
610140	Hot/cold exterior shower in scooter garage at passenger side	310	2,5	○	○	○	○
<b>Kitchen   Appliances</b>							
550087	Tec-Tower fridge combination 153 l with separate gas oven <sup>40)</sup>	780	20	-	-	○	○
550067	Gas oven with grill function in kitchen base unit <sup>28)</sup>	940	12	○	○	○	○
550289	Capsule coffee maker with connecting kit incl. pull-out system	290	2	○	○	○	○

Article no.		£ incl. 20 % VAT	kg	T 430 LE	T 460 LE	T 490 LE	T 500 QB
<b>Radio   Multimedia   TV   Sat</b>							
710029	Pioneer 9" media centre incl. navigation, motorhome route guidance, DAB+ <sup>2)</sup>	1,380	-	○	○	○	○
710200	Reversing camera system with single lens <sup>24)</sup>	420	6	●	●	●	●
710XXX	TV pull-out in side seat bench (502), TV cabinet in lounge seating area (506), wall bracket in entrance area (500)	1,020	3	●	●	●	●
710524	Smart LED TV 24" <sup>5)</sup>	1,300	10	●	●	●	●
910460	Additional TV connection in sleeping area, including connection set <sup>13)</sup>	310	3,5	○	○	○	-
710477	Wiring for TV connection in sleeping area, including cable set and cover panel <sup>13)</sup>	260	3	-	-	-	○
710478	24" Smart LED TV in sleeping area incl. TV bracket, contact switch <sup>5) 45)</sup>	1,730	10	-	-	-	○
750041	Teleco Flatsat Classic 85 satellite system with CI slot <sup>11)</sup>	3,060	28	○	○	○	○
750046	Teleco Flatsat Easy Skew Smart 90 and Twin LNB for second TV <sup>11)</sup>	3,380	30	○	○	○	○
<b>Interior</b>							
810100	Carpet for living area	330	6	○	○	○	○
810120	Carpet for drivers cabin area	170	1	○	○	○	○
810461	Electric central drop-down bed above seating area incl. skylight in T-mask <sup>6) 29)</sup>	2,030	65	-	○	○	○
810580	Lounge seating area can be converted into a sleeping area <sup>8)</sup>	530	10	○	○	○	○
810726	Waterproof shower insert in same design as living area floor	210	3,5	○	○	X	X
810620	Pull-out comfort access steps, including sleeping area extension	370	7	○	○	○	-
810610	Solid wood sliding door in front of bedroom	370	13	-	○	X	-
810750	Malibu table and chair set, including Malibu logo and carry bags <sup>32)</sup>	290	14	○	○	○	○
<b>Living area fabrics   World of Living</b>							
850304	London - fabric combination			<b>Standard</b>	-	X	X
850314	Paris - quilted fabric combination			<b>Standard</b>	-	X	X
850324	Santorin - Antara / fabric combination			<b>Standard</b>	-	X	X
850334	Lisbon - Antara / fabric combination			<b>Standard</b>	-	X	X
850630	Rome - Antara / fabric combination			<b>Standard</b>	-	X	X
850394	Palermo - textile leather / fabric combination	380	3	○	○	○	○
850404	Ancona - textile leather / fabric combination	380	3	○	○	○	○
850364	Ivory part leather - leather / fabric combination	1,320	7	○	○	○	○
850374	Maroon part leather - leather / fabric combination	1,320	7	○	○	○	○
850690	Ivory leather	3,260	10	○	○	○	○
850740	Macchiato leather	3,260	10	○	○	○	○
850502	World of sleeping & deco set: Decorative cushions, bed throw, fitted sheet set <sup>41)</sup>	370	7	○	○	○	○

Article no.		£ incl. 20 % VAT	kg	I430 LE	I460 LE	I490 LE	I500 QB
<b>Basic vehicle Fiat Ducato</b>							
310029	140 HP / 103 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>26) 32)</sup>	3,530	55	○	○	○	○
310032	180 HP / 132 kW engine, Euro 6d Final, f35 light, 9G automatic torque converter transmission <sup>26) 32)</sup>	7,520	55	○	○	○	○
310033	180 HP / 132 kW engine, Euro 6d Final, f40 heavy (total permissible weight 4,250 kg), 9G automatic torque converter transmission <sup>36) 7)</sup>	9,430	55	○	○	○	○
330325	Fiat 16-inch steel wheels instead of 15-inch for f35 light chassis	320	29	○	○	○	○
330330	Fiat 16-inch alloy wheels for f35 light chassis in conjunction with manual gearbox	970	22,5	○	○	○	○
330340	Fiat 16-inch alloy rims for f40 heavy chassis / f35 in conjunction with 9G automatic torque converter transmission	790	-8	○	○	○	○
310610	Fuel tank 60 l instead of 90 l (only in conjunction with f35 light)	60	-24	○	-	-	-
310630	Leather steering wheel and gear lever	280	-	●	●	●	●
310632	Multi-functional steering wheel (radio remote control via control buttons) <sup>39)</sup>	280	-	●	●	●	●
310500	Drivers cabin automatic air conditioning <sup>1)</sup>	480	-	●	●	●	●
331610	Front headlights with LED technology	1,010	-	○	○	○	○
331620	Fog light	310	4	○	○	○	○
311300	Crank-operated rear supports to prevent swaying in standing position	390	10	○	○	○	○
311410	Tow bar <sup>46)</sup>	2,030	60	○	○	○	○
<b>Habitation exterior</b>							
410121	Central locking for XL habitation door "premium two 2.0" and drivers cabin door	410	-	○	○	○	○
410561	Aluminium roof mounted awning frame, grey canvas, length: 4.5 m	1,660	42	○	-	-	-
410581	Aluminium roof mounted awning frame, grey canvas, length: 5.0 m	1,860	50	-	○	○	○
410780	Mini-Heki skylight above kitchen area <sup>10)</sup>	310	1	○	○	○	○
410785	Mini-Heki skylight in drivers cabin / drop-down bed	310	3	○	○	○	○
410850	Electric extractor hood above kitchen area <sup>10)</sup>	460	5	○	○	○	○
410113	Patented Pedelec scooter garage, loading height of up to 124 cm <sup>15) 46)</sup>	450	15	-	-	-	○
410925	Push-in and transport system for 2 Pedelecs / E-bikes <sup>34)</sup>	650	28,5	-	-	-	○
<b>Electrical system</b>							
510255	Socket package with additional sockets (3 x 230 V, 2 x USB) <sup>30)</sup>	440	3	○	○	○	○
510020	Additional 80 Ah habitation battery in existing battery centre	480	26	○	○	○	○
510053	Lithium-ion battery 150 Ah incl. battery computer and separate touch display <sup>4)</sup>	2,140	-9	○	○	○	○
<b>Heating</b>							
650040	Truma Combi 6E (additional electric heating element 2 x 900 Watts/230 V) <sup>3)</sup>	660	1	○	○	○	○
650230	Alde warm water heating, 230 V/gas operated with booster in drivers cabin <sup>3)</sup> (not Touring)	3,010	45	-	○	○	○
650230E	Alde warm water heating, 230 V/gas operated with booster in drivers cabin <sup>3)</sup> (Touring only)	3,160	45	-	○	○	○
650240	Alde heat exchanger (use of engine heat) <sup>31)</sup>	1,050	13	-	○	○	○
<b>Gas   Water   Miscellaneous</b>							
610045	Comfort gas bottle pull-out system (only in conjunction with Truma DuoControl CS)	580	6	○	-	-	-
610020	Truma DuoControl CS <sup>33)</sup>	390	3	○	○	○	○
610021	Gas filter for Truma DuoControl CS (recommended, only in conjunction with Truma DuoControl CS) <sup>43)</sup>	200	0,5	○	○	○	○
610140	Hot/cold exterior shower in scooter garage at passenger side	310	2,5	○	○	○	○
<b>Kitchen   Appliances</b>							
550087	Tec-Tower fridge combination 153 l with separate gas oven <sup>40)</sup>	780	20	-	-	○	○
550067	Gas oven with grill function in kitchen base unit <sup>28)</sup>	940	12	○	○	○	○
550289	Capsule coffee maker with connecting kit incl. pull-out system	290	2	○	○	○	○

Article no.		£ incl. 20 % VAT	kg	1430 LE	1460 LE	1490 LE	1500 QB
<b>Radio   Multimedia   TV   Sat</b>							
710029	Pioneer 9" media centre incl. navigation, motorhome route guidance, DAB+ <sup>2)</sup>	1,380	-	○	○	○	○
710160	Reversing camera system with single lens, including 7" colour monitor <sup>42)</sup>	1,020	6	●	●	●	●
710XXX	TV pull-out in side seat bench (503), TV cabinet in lounge seating area (506), wall bracket in entrance area (500)	420	3	●	●	●	●
710524	Smart LED TV 24" <sup>5)</sup>	1,300	10	●	●	-	-
710526	Smart LED TV 32" <sup>5)</sup>	1,760	10	-	-	●	●
910460	Additional TV connection in sleeping area, including connection set <sup>13)</sup>	310	3,5	○	○	○	-
710477	Wiring for TV connection in sleeping area, including cable set and cover panel <sup>13)</sup>	260	3	-	-	-	○
710478	24" Smart LED TV in sleeping area incl. TV bracket, contact switch <sup>5) 45)</sup>	1,730	10	-	-	-	○
750041	Teleco Flatsat Classic 85 satellite system with CI slot <sup>11)</sup>	3,060	28	○	○	○	○
750046	Teleco Flatsat Easy Skew Smart 90 and Twin LNB for second TV <sup>11)</sup>	3,380	30	○	○	○	○
<b>Interior</b>							
810100	Carpet for living area	330	6	○	○	○	○
810120	Carpet for drivers cabin area	170	1	○	○	○	○
810440	Drop-down bed omitted, replaced with all-round overhead storage compartments in drivers cabin	590	-26	○	○	○	○
810580	Lounge seating area can be converted into a sleeping area <sup>8)</sup>	530	10	○	○	○	○
810681	5th seat in side bench with 2-point seat belt <sup>22)</sup>	620	10	-	○	○	○
810726	Waterproof shower insert in same design as living area floor	210	3,5	○	○	X	X
810620	Pull-out comfort access steps, including sleeping area extension	370	7	○	○	○	-
810610	Solid wood sliding door in front of bedroom	370	13	-	○	X	-
810750	Malibu table and chair set, including Malibu logo and carry bags <sup>32)</sup>	290	14	○	○	○	○
<b>Living area fabrics   World of Living</b>							
850304	London - fabric combination			Standard	-	X	X
850314	Paris - quilted fabric combination			Standard	-	X	X
850324	Santorin - Antara / fabric combination			Standard	-	X	X
850334	Lisbon - Antara / fabric combination			Standard	-	X	X
850630	Rome - Antara / fabric combination			Standard	-	X	X
850394	Palermo - textile leather / fabric combination	380	3	○	○	○	○
850404	Ancona - textile leather / fabric combination	380	3	○	○	○	○
850364	Ivory part leather - leather / fabric combination	1,320	7	○	○	○	○
850374	Maroon part leather - leather / fabric combination	1,320	7	○	○	○	○
850690	Ivory leather	3,260	10	○	○	○	○
850740	Macchiato leather	3,260	10	○	○	○	○
850502	World of sleeping & deco set: Decorative cushions, bed throw, fitted sheet set <sup>41)</sup>	370	7	○	○	○	○

The prices are recommended retail prices. Because of the cost and price developments on the procurement markets, which are extremely volatile and can therefore not be calculated over the long term, the right is reserved to adjust our prices to our dealers and also make an appropriate price adjustment to our recommended retail prices. Of course, we endeavour to pass on appropriate pricing to the market at all times. You are advised to consult your dealer about the price that applies at the point in time when sale is agreed.

7) In accordance with EU Implementing Regulation No. 2021/535, the weight in running order corresponds to the (unladen) weight of the vehicle with factory-installed standard equipment (including lubricants, tools, tyre repair kit) plus driver (75 kg), 90% full fuel tank, fresh water tank when driving (20 l / from e-line series 50 l), 100% full aluminium gas bottle. The weight specified by the manufacturer for additional equipment is basically dependent on the weight in running order, and is reduced by installing additional equipment (equipment packages, special equipment). Please note that the actual weight which is specified in the Certificate of Conformity (CoC) is also a standard value. Since the weight in running order – as part of the actual weight – has a legally permissible tolerance of  $\pm 5\%$ , the actual weight can deviate from the specified nominal value accordingly. Detailed information can be found on page 2, no. 2.

14) The maximum weight for additional equipment specified by the manufacturer must not be exceeded during the selection and configuration of your vehicle. The maximum weight for additional equipment specified by the manufacturer is intended to ensure that the legally prescribed so-called minimum payload is actually available for additional loading after the vehicle has been delivered by the manufacturer. This means that only so much additional equipment can be ordered and installed in the factory that there is still sufficient free weight for luggage and other accessories (the so-called payload) without exceeding the technically permissible gross weight. Detailed information can be found on page 4, no. 5.

22) The specification of the maximum permissible number of seats refers to the respective vehicle weight in the series production condition without additional equipment, and specifies the maximum possible number of persons who can be seated while driving. The number of seats also depends on the weight and the axle load. It can therefore be reduced by installing additional equipment (equipment packages, special equipment) or only achieved by increasing the weight. With additional approved seats (c-tourer only in conjunction with increased load option) the minimum payload per person increases by 85 kg, and the max. weight for additional equipment reduces at the same time. Detailed information can be found on page 3, no. 3. With the optional 5th seat, the double floor through-loading storage compartment is slightly restricted, and the upholstery is not covered in the same fabric as the living area.

23) The technically maximum permissible gross weight describes the floor plan-related permissible weight specified by the manufacturer that your motorhome may weigh when loaded (e.g. 3,500 kg, 4,500 kg). The technically permissible gross weight of the vehicle (e.g. 3,500 kg) must not be exceeded under any circumstances while driving. Detailed information can be found on page 2, no. 1.

27) Trailer load 2,000 kg taking the total towing weight of 6,000 kg into consideration. The towed load reduces to 1800 kg with the f40 heavy chassis variant.

## General

1) In the event of unfavourable conditions, manual readjustment of the air conditioning system may be necessary.

2) Pioneer media centre with touch screen in drivers cabin, Wireless Apple CarPlay / Android Auto, Bluetooth, USB interface for connecting portable devices (Low-Profile: monitor function for optional reversing camera).

3) Truma Combi 6E option not possible in conjunction with option Alde hot water heating.

4) The optional lithium ion batteries replace the standard gel battery/batteries. Battery status indicator, accessible via free app and touch display.

5) TV with receiver and DVB-T2 tuner (incl. USB, HDMI, Full HD).

6) The Midi-Heki above the seating area is omitted if the electric central drop-down bed option is selected. Headroom beneath central drop-down bed: 1.84 m.

8) The foot pedal for adjusting the table is omitted in the option with the lounge seating area with a lowerable table top which can be converted into a sleeping berth. The lever for adjusting the table is beneath the table top in this variant.

9) When selecting a driver's assistance package, there is a cut-out for the camera casing in the camera position area (top centre) with the drivers cabin blackout system.

10) Mini-Heki skylight above kitchen area not possible in conjunction with the electric extractor hood option.

11) Mounting capability depends on the roof area occupation; if necessary, standard components may be omitted or installed at a different location. Habitation roof height with Teleco approx. 130 mm. Teleco Flatsat Classic 85 Satellite system not possible in conjunction with wiring for TV connection in rear bed area.

12) Radio/moniceiver with touch screen in drivers cabin, Bluetooth and USB interface for connecting portable devices (Low-Profile: monitor function for optional reversing camera).

13) Incl. connection set: coaxial cable, antenna socket, 12 V socket. Additional TV connection or wiring for TV connection in rear not possible in conjunction with Teleco Flatsat Classic 85 satellite system.

15) The load-bearing capacity in the scooter garage is reduced by 100 kg if the Pedelec scooter garage option is selected.

16) Total vehicle length is the measurement between the front skirt and the rear end.

17) The total vehicle width corresponds to the measurement from exterior wall to exterior wall (side wheel arches approx.: + 70 mm).

18) Height changes depending on installation of certain optional accessories. The vehicle height with Fiat chassis light/heavy can differ by 50 mm.

19) Child seats with retention systems may not be used on the passenger seat.

20) Position of 32" Smart LED TV above L-shaped lounge seating area.

21) The specified fresh water volume includes the volume of the boiler.

24) Malibu Low-Profile: reversing camera in conjunction with infotainment package, digital instead of analogue.

25) The charge booster is incorporated between the alternator and the starter and also the habitation battery, and ensures that the alternator generates power while driving until the batteries are charged.

26) 9G automatic torque converter transmission with Fiat Ducato f35 only possible in conjunction with 16 inch steel wheels or 16 inch alloy wheels option.

28) No drawers in the kitchen base cabinet (quantity depends on the model). Dimensions of oven in kitchen unit (in mm). Model 430 LE: Height 307 x width 527 x depth 409, models 410 DB, 460 LE, 490 LE 500 QB: Height 445 x Width 445 x Depth 490. Not possible in conjunction with Tec-Tower option.

29) With model T 460 LE, the Alde warm water heating option is not possible in conjunction with the central drop-down bed option.

30) Position: Lounge seating area (230 V, USB), sleeping area rear overhead storage cabinets (230 V, USB), scooter garage (230 V).

31) Alde heat exchanger for heating the living area with engine heat while travelling, incl. engine preheating function.

32) Malibu table and chair set option, carry bags consisting of two camping chairs incl. Malibu logo and a table.

33) Truma DuoControl CS with crash sensor, automatic changeover and de-icing function option.

34) Push-in and transport system for 2 Pedelecs/E-Bikes option, only in conjunction with Pedelec scooter garage.

35) "Skyview" skylight with design roof option, including indirect LED lighting above drivers cabin. Not possible in conjunction with the central drop-down bed option.

36) Fiat Ducato f40 option, including 16 inch steel wheels.

37) 4-cylinder engine with 2.2 l. 140 HP engine: 350 / 380 Nm, 160 HP engine: 380 / 400 Nm, 180 HP engine: 380 / 450 Nm.

38) Loudspeaker in drivers cabin (2x) and L-shaped lounge seating area (2x).

39) Multi-functional steering wheel option only possible in conjunction with radio or media centre option.

40) Tec-Tower fridge combination 153 l option, with door opening at both sides, separate freezer compartment and gas oven. Not possible in conjunction with gas oven in kitchen base unit option.

41) Malibu world of sleeping & decoration set consisting of one or three decorative cushions (depending on model), a Jacquard bed throw with woven-in Malibu logo and a fitted sheet set to match the respective model.

42) Reversing camera system with single lens, including 7" colour monitor integrated in the side of the dashboard.

43) It is recommended to order the gas filter in conjunction with the Truma DuoControl CS option, since the manufacturer of the Truma DuoControl invalidates the warranty if the gas pressure regulator and valves become defective or damaged because of oil or other foreign materials in the liquid gas.

45) 24" Smart LED TV incl. TV bracket, loudspeakers and integrated contact switch wirelessly integrated in television wall for sleeping area (only in conjunction with connecting set).

46) Trailer coupling option not possible in conjunction with Pedelec scooter garage option.

47) Multimedia system with 10.1" display, Bluetooth connectivity with audio streaming and hands-free function, Smartphone integration via Android Auto or Apple CarPlay, USB interface for connecting portable devices. Vehicle weights and vehicle dimensions cannot be stored separately in the navigation system.

48) Digital instrument cluster with colour display for optimum networking with the Fiat 10.1" multimedia system for display of 3D navigation maps and driver assistance systems.

49) LED daytime driving lights option not possible in conjunction with Fiat full LED headlights, since this is already included.

50) The collision braking system automatically triggers braking in the event of a collision in order to prevent or lessen the effects of a possible secondary collision.

51) The battery status display can be accessed via a free app with an 18 Ah automatic charger.

## General Notes

- The price information shown includes the legally applicable rate of VAT of 21% and excludes shipping and transport costs

- Some vehicles are shown with special features which are available at extra cost

- Some special features can not be installed in all models. Your Malibu dealer would be pleased to inform you about installation and technical details regarding the model you require

- This information is subject to price, design and equipment modifications and also errors. The details relating to scope of supply, appearance and performance comply with the status at the time of printing

- If our suppliers change product designations during the season, we reserve the right to deliver a part type of equivalent value

- Price, dimensions and weights subject to change. The current rate of VAT at the time of delivery shall be valid. All prices are non-binding recommended prices ex works. In the case of price adjustments by sub-contractors or basic vehicle manufacturers, the prices will be modified accordingly

- Mattress sizes can differ from the specified bed dimensions

- The installation of optional extras can result in loss of storage space

- Prices for optional extras apply to ex works installation (not retrofitting). These extras must be ordered in good time before the vehicle goes into production. For information about this, please contact your Malibu dealer directly

- The option of mounting solar energy and satellite systems depends on the occupation of the roof area

- Any change of the condition of your vehicle as it left the factory can negatively affect driving quality and road worthiness

- Any structural alteration to the vehicle renders liability claims void. The same applies if the customer alters the finish/colour of chassis parts

- Deviations from the textures and colours in the illustrations are permitted in as far as they are due to the nature of the materials used and/or are usual in the trade. The same applies to technical changes to the vehicle as long as the overall product quality remains the same or is improved, and the intended use is not affected

- It is possible that inferior-quality clothing can leave marks on the seat covers. This means that the seat covers are discoloured or the dye from the fabrics rubs off. We do not accept any liability for this kind of discolouration

- We recommend always using Malibu accessories and having them installed in our factory. We do not accept any liability for damage caused by products that are not approved by Malibu or by non-permitted modifications. This particularly applies to the installation of parts by workshops that are not authorised by Malibu. You should therefore always have repairs or retrofits carried out by authorised Malibu trading partners and insist on genuine Malibu accessories

- The water supply system complies with latest technology according to DIN 2001-2

Discover our Malibu motorhomes  
on our social media channels:



More information about Malibu can be found at  
[www.malibu-motorhomes.com](http://www.malibu-motorhomes.com)

© Malibu GmbH & Co. KG | Carthago Ring 1 | 88326 Aulendorf | Germany  
Tel. +49 (0)7525 / 9200-0

All previous price lists become invalid when this price list appears. Changes may occur during the model year after the editorial deadline for this printed document in December 2023. The manufacturer reserves the right to make structural and design changes that become necessary, provided that they are in the interest of technical progress and are reasonable for the customer, plus changes to equipment, differences in colour combinations or individual colour shades, material quality differences and changes to the scope of delivery on the part of the manufacturer. This also applies to colour differences on basic vehicles, insofar as they are a result of changes made by the basic vehicle manufacturer. Please consult your dealer for detailed advice concerning the status of the current product or series.

The information about the scope of delivery, appearance, performance, dimensions and weights of the vehicles – differences within the scope of the factory tolerances (max. +/- 5 %) are possible and permissible – corresponds to the state of knowledge at the time of going to print. Reprinting of this document, or even extracts thereof, is only permitted if written authorisation is obtained from Malibu GmbH & Co. KG beforehand. The information in this publication is compliant with the German StVZO and StVZO (road traffic and road traffic licensing regulations). Mistakes, translation errors and printing errors excepted. All information is based on the characteristics of the German market.

Printed in Germany



**malibu**  
a company of carthago